

AHA Clay Mask No. 487

|   |  | Wt. % |
|---|--|-------|
| A | VEEGUM® <i>Ultra</i> Magnesium Aluminum Silicate | 5.0   |
|   | Water  | 38.9  |
| B | Glycerin   | 5.0   |
|   | Butylene Glycol                                  | 3.0   |
|   | Kaolin Clay, Cosmetic Grade                      | 30.0  |
|   | Talc, Cosmetic Grade                             | 5.0   |
|   | Sodium Lauroyl Sarcosinate, 30%                  | 5.0   |
|   | Glycolic Acid, 70%                               | 5.0   |
|   | d-Panthenol                                      | 0.5   |
|   | Vitamin E Acetate                                | 0.1   |
|   | Vitamin A Palmitate                              | 0.1   |
|   | Triethanolamine                                  | 2.4   |
|   | Preservative                                     | q.s.  |

**Procedure:** Slowly add the **VEEGUM® *Ultra*** to the water agitated at maximum available shear. Mix until fully hydrated. Add the Part B ingredients in order, mixing after each addition until smooth.

**TRADEMARKS**  
**VEEGUM** is a registered trademark of Vanderbilt Minerals, LLC.

Rev06/03/2016