

**Pearlescent Conditioning Body Wash No. 488**

		<b>Wt.%</b>
<b>A</b>	<b>VEEGUM® Ultra</b> Magnesium Aluminum Silicate	2.00
	Water	61.25
<b>B</b>	Mica (and) Titanium Dioxide (Timiron® MP-1001 <sup>1</sup> )	0.50
<b>C</b>	Sodium Laureth Sulfate (Steol® CS-230 <sup>2</sup> )	25.00
	Lauramide DEA (Incromide™ 716 <sup>3</sup> )	7.50
	Cocoyl Sarcosine	3.75
<b>D</b>	Preservative, Fragrance	q.s.

**Procedure:** Slowly add the **VEEGUM® Ultra** to the water while mixing at maximum available shear. Mix until fully hydrated. Add Part B and mix until uniform. At reduced mixing speed, add the Part C ingredients in the order shown, mixing after each addition until uniform. Adjust as necessary to pH 5.0 ± 0.5.

**RAW MATERIAL SUPPLIERS**<sup>1</sup>EMD Chemicals, Inc./RONA, Gibbstown, NJ<sup>2</sup>Stepan Company, Northfield, IL<sup>3</sup>Croda, Inc., Edison, NJ**TRADEMARKS****VEEGUM** is a registered trademark of Vanderbilt Minerals, LLC.

Incromide is a trademark of Croda, Inc.

Steol is a registered trademark of Stepan Company.

Timiron is a registered trademark of EM Industries, Incorporated.

Rev04/25/2013