

Aerosol Shave Cream for Sensitive Skin No. 503

	Wt. %
A	VEEGUM® Ultra Magnesium Aluminum Silicate 1.5
	VANZAN® NF Xanthan Gum 0.3
	Water 67.2
B	Glycerin 3.0
	Butylene Glycol 3.0
C	Stearic Acid XXX 3.0
	Coconut Acid 3.0
	Safflower Oil 0.2
	Soybean Oil 0.2
	Cetyl Alcohol 1.0
	Dimethicone (XIAMETER® PMX-200 Silicone Fluid 350cs ¹) 1.0
	Lanolin Alcohol 0.1
	Isosorbide Laurate 1.0
Mineral Oil 3.0	
D	Sodium Cocoyl Sarcosinate, 30% 10.0
	Panthenol 0.5
	Aloe Vera 0.5
E	Triethanolamine 1.5
	Preservative, Fragrance q.s.

Procedure: While heating the water to 75°C, slowly add the **VEEGUM® Ultra** and **VANZAN® NF** sequentially or as a dry blend to the water agitated at maximum available shear. Mix until fully hydrated. Add the remaining water phase ingredients from Part B, mixing until uniform. Maintain the water phase at 75°C. Blend the Part C oil phase ingredients and heat to 75°C. Add the oil phase to the water phase with good agitation; mix until uniform. Cool while mixing. Add the Part D ingredients when the emulsion is <40°C. Add the Part E ingredients when the emulsion is <35°C. Adjust as necessary to pH 7.5 ± 0.5.

RAW MATERIAL SUPPLIERS
¹Dow Corning Corporation, Midland, MI

TRADEMARKS
VEEGUM and **VANZAN** are registered trademarks of Vanderbilt Minerals, LLC. Xiameter is a registered trademark of Dow Corning Corporation.

Rev04/25/2013