

**Oatmeal & Macadamia Cream No. 588**

		<b>Wt. %</b>
<b>A</b>	<b>VANATURAL</b> <sup>®</sup> Bentonite Clay	2.50
	Water	82.25
	Avena Sativa (Oat) Kernel Flour (Tech-O <sup>®</sup> #11-070 Oat Flour <sup>1</sup> )	1.00
	<b>VANZAN</b> <sup>®</sup> NF Xanthan Gum	0.50
	Sucrose Stearate (Surfhope <sup>®</sup> SE Cosme C-1811 <sup>2</sup> )	1.25
<b>B</b>	Butylene Glycol	5.00
<b>C</b>	Macadamia Ternifolia Seed Oil (SCB Macadamia Oil <sup>3</sup> )	4.50
	Cetearyl Alcohol	3.00
<b>D</b>	Preservative	q.s.

**Procedure:** While heating the water to 60-65°C, slowly add the **VANATURAL**<sup>®</sup> while mixing at maximum available shear. Once dispersed, slowly sift in the oat flour. Mix until the **VANATURAL** is fully hydrated and the oat flour is well dispersed. Add the **VANZAN**<sup>®</sup> NF and mix until dissolved. Add the sucrose stearate and mix until uniform. Add the butylene glycol and mix thoroughly. Maintain the water phase at 60-65°C. Blend the Part C oil phase ingredients and heat to 60-65°C. Add the oil phase to the water phase with good agitation; mix until uniform. Avoid incorporating air. Cool with mixing; add Part D when the emulsion is <30°C.

**RAW MATERIAL SUPPLIERS**<sup>1</sup>Beacon CMP Corporation, Kenilworth, NJ<sup>2</sup>Arch Personal Care Products L.P., South Plainfield, NJ<sup>3</sup>Southern Cross Botanicals PTY Ltd., Lennox Head, NSW Australia**TRADEMARKS**

Registered and pending trademarks appearing printed in bold in these materials are those of Vanderbilt Minerals, LLC. For a complete listing, please visit

[http://www.vanderbiltminerals.com/ee\\_content/Documents/Technical/Trademarks\\_VM\\_Web.pdf](http://www.vanderbiltminerals.com/ee_content/Documents/Technical/Trademarks_VM_Web.pdf).

Surfhope is a registered trademark of Mitsubishi Chemical Corporation.

Tech-O is a registered trademark of Beacon CMP Corporation.

rev12/15/2014