

Moisturizing Cream No. 611

		Wt. %
A	VEEGUM[®] PURE Magnesium Aluminum Silicate	1.5
	Water	74.5
	Glycerin	4.0
	Triethanolamine, 99%	1.0
B	Stearic Acid	2.0
	Cetyl Alcohol	2.0
	Isopropyl Myristate	2.0
	Lanolin Oil (Lantrol [®] 1673 Lanolin Oil ¹)	10.0
	Glyceryl Stearate (and) PEG-100 Stearate (Arlacel [®] 165 ²)	3.0
C	Preservative	q.s.

Procedure: Begin heating the water to 70-75°C. Add the **VEEGUM[®] PURE** to the water slowly, agitating at maximum available shear until fully hydrated. Add the remaining water phase ingredients; mix until uniform. Maintain the water phase at 70-75°C. Blend the Part B oil phase ingredients and heat to 70-75°C. Add Part B to Part A with good agitation; mix until uniform. Cool with mixing; add the Part D ingredients when the temperature cools to $\leq 35^{\circ}\text{C}$.

RAW MATERIAL SUPPLIERS¹BASF Corp., Florham Park, NJ²Croda, Inc., Edison, NJ**TRADEMARKS**

Registered and pending trademarks appearing printed in bold in these materials are

those of Vanderbilt Minerals, LLC. For a complete listing, please visit

http://www.vanderbiltminerals.com/ee_content/Documents/Technical/Trademarks_VM_Web.pdf

Arlacel is a registered trademark of Uniqema Americas LLC.

Lantrol is a registered trademark of Cognis IP Management GmbH.

Rev08/27/2012