

Antacid Formulation No. 570

		Wt. %
A	VEEGUM® HV Magnesium Aluminum Silicate	1.25
	Water	60.97
B	Methylparaben	0.10
	Propylparaben	0.05
C	Sorbitol, 70%	14.30
D	Barcroft™ Aluminum Hydroxide GEL LV 13 USP ¹ , 20% Al(OH) ₃	11.33
	Barcroft™ Magnesium Hydroxide Paste USP ¹ , 30% Mg(OH) ₂	12.00

Procedure: Slowly add the **VEEGUM® HV** to the water agitated at maximum available shear. Mix until fully hydrated. Add Parts B, C and D in order, mixing after each addition until uniform.

RAW MATERIAL SUPPLIERS

¹SPI Pharma Group, New Castle, DE

TRADEMARKS

VEEGUM is a registered trademark of Vanderbilt Minerals, LLC.
Barcroft is a trademark of SPI Pharma Group

Rev01/30/2013