

**Eyeliner No. 107**

		<b>Wt. %</b>
<b>A</b>	<b>VEEGUM® R</b> Magnesium Aluminum Silicate	2.5
	Deionized Water	75.5
<b>B</b>	Polyvinylpyrrolidone (PVP K-30 <sup>1</sup> )	2.0
	Deionized Water	10.0
<b>C</b>	Iron Oxides	10.0
<b>D</b>	Preservative	q.s.

**Procedure:** Slowly add **VEEGUM®** to the water while agitating at maximum available shear. Continue mixing until smooth. Dissolve the PVP in water using heat as necessary. Add Part B to Part A and mix until uniform. Add Part C and mix until smooth and uniform. Add Part D and mix until uniform.

**RAW MATERIAL SUPPLIERS**<sup>1</sup>International Specialty Products, Wayne, NJ**TRADEMARKS****VEEGUM** is a registered trademark of Vanderbilt Minerals, LLC.

Rev04/25/2013