

Solvent-Free Oven and Grill Cleaner No. 227

		Wt.%
A	VEEGUM® T Magnesium Aluminum Silicate	0.75
	VANZAN® Xanthan Gum	0.25
	Water	77.00
B	Sodium Hydroxide, 50% solution	20.00
	Sodium Cocoamphoacetate (Amphosol® 1C ¹)	2.00

Procedure:

Step 1 – Blend the **VEEGUM® T** and **VANZAN®** and sift into an established vortex in the water. Mix at maximum available shear until fully hydrated.

Step 2 – Slowly add the NaOH solution while adjusting the mixing speed as necessary to compensate for the viscosity increase. Mix until smooth and then slowly add the surfactant. Avoid air entrapment.

RAW MATERIAL SUPPLIERS¹Stepan Company, Northfield, IL**TRADEMARKS****VANZAN** and **VEEUM** are registered trademarks of Vanderbilt Minerals, LLC. Amphosol is a registered trademark of Stepan Company.

Rev02/07/2014