

Acid Bowl Cleaner No. 342

		Wt.%
A	VEEGUM[®] R Magnesium Aluminum Silicate	0.90
	VANZAN[®] Xanthan Gum	0.45
	Water	75.40
B	Tetrasodium EDTA	1.00
	Oleyl Hydroxyethyl Imidazoline (MONAZOLINE O ¹)	1.00
	Hydrochloric Acid, 37%	20.00
	Benzalkonium Chloride (BARQUAT [®] MB-80 ²)	1.25

Procedure:

Step 1 – Blend the **VEEGUM[®] R** and **VANZAN[®]** and sift into an established vortex in the water. Mix at maximum available shear until fully hydrated.

Step 2 – Reduce the mixing speed and add the Part B ingredients in order, mixing after each addition until uniform.

RAW MATERIAL SUPPLIERS¹Croda Inc., Edison, NJ²Lonza, Inc., Allendale, NJ**TRADEMARKS****VANZAN** and **VEEGUM** are registered trademarks of Vanderbilt Minerals, LLC.

BARQUAT is a registered trademark of Lonza, Inc.

Rev02/07/2014