

Calamine Lotion No. 361

		Wt. %
A	VEEGUM® R Magnesium Aluminum Silicate	0.8
	VANZAN® NF Xanthan Gum	0.2
	Water	79.6
B	Propylene Glycol	3.0
	Polysorbate 80	0.4
C	Calamine (Prepared), USP	8.0
	Zinc Oxide, USP	8.0
D	Preservative	q.s.

Procedure: Slowly add the **VEEGUM® R** and **VANZAN® NF** sequentially or as a dry blend to the water agitated at maximum available shear. Mix until fully hydrated. Add Part B and mix slowly until uniform. Add Part C slowly and mix until uniform. Add Part D slowly and mix until uniform.

TRADEMARKS

VANZAN and **VEEGUM** are registered trademarks of Vanderbilt Minerals, LLC.

Rev01/30/2013