

Toothpaste No. 403 and No. 404

	No. 403	No. 404	
	Wt. %	Wt. %	
A VEEGUM® D Magnesium Aluminum Silicate	1.30	1.30	
	Water	10.10	
B Sorbitol, 70%	25.00	25.00	
C Glycerin	10.00	10.00	
	VANZAN® NF Xanthan Gum	0.70	---
	Cellulose Gum (Aqualon® CMC 7MF ¹)	---	0.70
D Dicalciumphosphate Dihydrate	50.00	50.00	
E Flavor	1.00	1.00	
	Saccharin	0.20	0.20
	Sodium Benzoate	0.20	0.20
	Sodium Lauryl Sulfate	1.50	1.50

Procedure: Slowly add the **VEEGUM® D** to the water agitated at maximum available shear. Mix until fully hydrated. Add Part B, Part C, Part D and Part E in order, mixing after each until uniform.

RAW MATERIAL SUPPLIERS
¹Ashland, Inc., Covington, KY

TRADEMARKS
VANZAN and **VEEGUM** are registered trademarks of Vanderbilt Minerals, LLC.
Aqualon is a registered trademark of Hercules Inc.

Rev07/01/2013