

Antacid Formulation No. 445

		Wt.%
A	VEEGUM® HS Magnesium Aluminum Silicate	0.25
	VANZAN® NF Xanthan Gum	0.28
	Water	61.69
B	Methylparaben	0.10
	Propylparaben	0.05
C	Sorbitol, 70%	14.30
D	Barcroft™ Aluminum Hydroxide GEL LV 13 USP ¹ , 20% Al(OH) ₃	11.33
	Barcroft™ Magnesium Hydroxide Paste USP ¹ , 30% Mg(OH) ₂	12.00

Procedure: Slowly add the **VEEGUM® HS** and **VANZAN® NF** sequentially or as a dry blend to the water agitated at maximum available shear. Mix until fully hydrated. Add Parts B, C and D in order, mixing after each addition until uniform.

RAW MATERIAL SUPPLIERS¹SPI Pharma Group, New Castle, DE**TRADEMARKS****VANZAN** and **VEEGUM** are registered trademarks of Vanderbilt Minerals, LLC. Barcroft is a trademark of SPI Pharma Group

Rev01/30/2013