

Water-Resistant Sport Tint No. 453

		Wt.%
A	VEEGUM® Ultra Magnesium Aluminum Silicate	1.60
	VANZAN® NF Xanthan Gum	0.40
	Water	70.40
	Propylene Glycol	5.00
B	Iron Oxides	0.67
	Manganese Violet	0.10
	Talc	4.27
	Titanium Dioxide	6.96
C	Isocetyl Alcohol	3.00
	Octyl Methoxycinnamate (Neo Heliopan® AV ¹)	3.00
	Mineral Oil (and) Lanolin Alcohol (Ritachol® ²)	2.00
	DEA-Oleth-3 Phosphate (Crodafos™ O3D ³)	2.20
D	PVP (PVP K-90 ⁴)	0.40
	Preservative, Fragrance	q.s.

Procedure: Slowly add the **VEEGUM® Ultra** and **VANZAN® NF** sequentially or as a dry blend to the water agitated at maximum available shear. Mix until fully hydrated. Add the propylene glycol. Blend Part B thoroughly; grind if necessary. Slowly add Part B to Part A and mix until smooth and uniform. Blend Part C ingredients and add to Part A & B; mix until homogeneous. Add Part D ingredients in order, mixing until smooth and uniform.

RAW MATERIAL SUPPLIERS¹Symrise, Teterboro, NJ²RITA Corporation, Crystal Lake, IL³Croda Inc., Edison, NJ⁴Ashland Specialty Ingredients, Wilmington, DE**TRADEMARKS****VANZAN** and **VEEGUM** are registered trademarks of Vanderbilt Minerals, LLC.

Crodafos is a trademark of Croda, Inc.

Neo Heliopan is a registered trademark of Haarmann & Reimer GmbH.

Ritachol is a registered trademark of RITA Corporation.

Rev04/25/2013