

Acid Cleaner No. 540

		Wt. %
A	VAN GEL® ES Magnesium Aluminum Silicate	2.0
	VANZAN® Xanthan Gum	0.5
	Water	62.5
B	Phosphoric Acid, 85%	30.0
	Octoxynol-9 (TRITON® X-100 ¹)	5.0

Procedure:

Step 1 – Blend the **VAN GEL® ES** and **VANZAN®** and sift into an established vortex in the water. Mix at maximum available shear until fully hydrated.

Step 2 – Reduce the mixing speed and add the Part B ingredients in order, mixing after each addition until uniform.

RAW MATERIAL SUPPLIERS

¹Dow Chemical, Midland, MI

TRADEMARKS

Registered and pending trademarks appearing printed in bold in these materials are those of Vanderbilt Minerals, LLC. For a complete listing, please visit http://www.vanderbiltminerals.com/ee_content/Documents/Technical/Trademarks_VM_Web.pdf
 Triton is a registered trademark of Union Carbide Corporation.

Rev02/07/2014