

**Moisturizing Lotion with Hydractin® No. 551**

		<b>Wt.%</b>
<b>A</b>	Water	88.00
	<b>VEEGUM® R</b> Magnesium Aluminum Silicate	2.00
	<b>VANZAN® NF</b> Xanthan Gum	1.00
<b>B</b>	Coco-Caprylate/Caprate (Cetiol® LC <sup>1</sup> )	5.00
	DEA-Oleth-3 Phosphate (Crodafos™ O3D <sup>2</sup> )	1.00
<b>C</b>	Water (and) Glycerin (and) Disodium Adenosine Triphosphate (and) Algin (and) Carica (Papaya) Fruit Extract (Hydractin® <sup>3</sup> )	3.00
<b>D</b>	Preservative	q.s.

**Procedure:** Dry blend the **VEEGUM® R** and **VANZAN® NF** and sift (or add sequentially) into an established vortex in the water. Mix at maximum available shear until fully hydrated. Pre-mix components of Part B and add to Part A. Mix thoroughly under maximum available shear. Add Part C and mix under maximum available shear until homogeneous. Reduce speed, add Part D and mix until homogeneous.

**RAW MATERIAL SUPPLIERS**<sup>1</sup>BASF Corporation, Florham Park, NJ<sup>2</sup>Croda, Inc., Edison, NJ<sup>3</sup>RAHN AG, Zurich, Switzerland**TRADEMARKS****VEEGUM** and **VANZAN** are registered trademarks of Vanderbilt Minerals, LLC.

Cetiol is a registered trademark of Cognis GmbH.

Crodafos is a trademark of Croda, Inc.

Hydractin is a registered trademark of Rahn AG.

Rev07/17/2017