

Acid Cleaner No. 559

		Wt. %
A	VANZAN[®] Xanthan Gum	1.1
	Water	66.9
B	Phosphoric Acid, 85%	30.0
	Modified Ethoxylated Carboxylate (DeTERGE LF-7315 ¹)	2.0

Procedure:

Step 1 – Sift the **VANZAN[®]** into an established vortex in the water. Mix until fully dissolved.

Step 2 – Add the phosphoric acid slowly and mix thoroughly. Reduce mixing speed and then add the surfactant slowly. Mix until uniform while avoiding air entrapment.

RAW MATERIAL SUPPLIERS

¹DeForest Enterprises, Inc., Boca Raton, FL

TRADEMARKS

Registered and pending trademarks appearing printed in bold in these materials are those of Vanderbilt Minerals, LLC. For a complete listing, please visit

http://www.vanderbiltminerals.com/ee_content/Documents/Technical/Trademarks_VM_Web.pdf

Rev02/07/2014