

Conditioning Skin Cream with Jojoba Oil No. 571

	Wt. %
A VANATURAL[®] or VANATURAL MC Bentonite Clay	2.0
Water	73.0
Butylene Glycol	5.0
B Bis-PEG/PPG-16/16 PEG/PPG-16/16 Dimethicone; Caprylic/capric triglyceride (Abil [®] Care 85 ¹)	1.5
Cetyl Alcohol (and) Glyceryl Stearate (and) PEG-75 Stearate (and) Ceteth-20 (and) Steareth-20 (Emulium [®] Delta ²)	4.5
Cetyl Rinoleate (Tegosoft [®] CR ¹)	2.0
Simmondsia Chinesis (Jojoba) Seed Oil (Jojoba Oil Golden ³)	6.0
Cyclomethicone (XIAMETER [®] PMX-0345 Cyclosiloxane Blend ⁴)	6.0
C Preservative, Fragrance	q.s.

Procedure: While heating the water to 75°C, slowly add the **VANATURAL[®]** or **VANATURAL MC** while mixing at maximum available shear. Mix until fully hydrated. Add the butylene glycol, mixing until uniform. Maintain the water phase at 75°C. Blend the Part B oil phase ingredients and heat to 75-80°C. Add the oil phase to the water phase with good agitation; mix until uniform. Cool with mixing; add the Part C ingredients when the emulsion is <30°C.

RAW MATERIAL SUPPLIERS
¹Evonik Goldschmidt Chemical Company, Hopewell, VA

²Gatefosse Corporation, Paramus, NJ

³Desert Whale Jojoba Co., Inc., Tucson, AZ

⁴Dow Corning Corporation, Midland, MI

TRADEMARKS
VANATURAL is a registered trademark of Vanderbilt Minerals, LLC.

Abil is a registered trademark of Goldschmidt GmbH Corporation.

Emulium is a registered trademark of Gatefosse SAS.

Tegosoft is a registered trademark of Goldschmidt GmbH.

Xiameter is a registered trademark of Dow Corning Corporation.

Rev04/17/2017