

Skin Renewal Cream No. 573

		Wt.%
A	VANATURAL[®] or VANATURAL MC Bentonite Clay	2.5
	Water	77.0
	Glycerin	5.0
B	Cetearyl Alcohol (and) PEG-40 Castor Oil (and) Sodium Cetearyl Sulfate (Emulgade [®] F ¹)	5.0
	Postassium Cetyl Phosphate (Crodafos [™] MCK ²)	0.5
	Dicaprylyl Carbonate (Cetiol [®] CC ¹)	5.0
	C12-15 Alkyl Ethylhexanoate (Finester [™] EH-25 ³)	5.0
C	Preservative	q.s.

Procedure: While heating the water to 80°C, slowly add the **VANATURAL[®]** or **VANATURAL MC** while mixing at maximum available shear. Mix until fully hydrated. Add the glycerin, mixing until uniform. Maintain the water phase at 80°C. Blend the Part B oil phase ingredients and heat to 80°C. Add the oil phase to the water phase with good agitation; mix until uniform. Cool with mixing; add Part C when the emulsion is <30°C.

RAW MATERIAL SUPPLIERS¹BASF Corp., Florham Park, NJ²Croda, Inc., Edison, NJ³Innospec Active Chemicals, Edison, NJ**TRADEMARKS****VANATURAL** is a registered trademark of Vanderbilt Minerals, LLC.

Cetiol is a registered trademark of Cognis GmbH.

Crodafos is a trademark of Croda, Inc.

Emulgade is a registered trademark of Cognis GmbH.

Finester is a trademark of Innospec Performance Chemicals Company.

Rev04/17/2017