

Rejuvenating Lotion No. 574

		Wt.%
A	VANATURAL [®] or VANATURAL MC Bentonite Clay	2.0
	VANZAN [®] NF Xanthan Gum	0.5
	Water	72.5
	Butylene Glycol	3.0
B	Cyclomethicone (and) Dimethicone (and) Petrolatum (Gel Base BSM-PT ¹)	7.0
	C12-15 Alkyl Benzoate (Finsolv [®] TN ²)	4.0
	Cetearyl Alcohol	1.0
	Glyceryl Stearate (and) PEG-100 Stearate (Arlacel [®] 165 ³)	5.0
C	Water (and) Aloe Barbedensis Leaf Extract (and) Yeast (Sacchromyces)	5.0
	Extract (Betavera ^{®1})	
	Preservative	q.s.

Procedure: While heating the water to 70-75°C, slowly add the **VANATURAL**[®] or **VANATURAL MC** and **VANZAN**[®] **NF** sequentially or as a dry blend to the water agitated at maximum available shear. Mix until fully hydrated. Add the butylene glycol, mixing until uniform. Maintain the water phase at 70-75°C. Blend the Part B oil phase ingredients and heat to 70-75°C. Add the oil phase to the water phase with good agitation; mix until uniform. Cool with mixing; add the Part C ingredients in order when the emulsion is <30°C.

RAW MATERIAL SUPPLIERS
¹Arch Personal Care Products L.P., South Plainfield, NJ

²Innospec Active Chemicals, Edison, NJ

³Croda, Inc., Edison, NJ

TRADEMARKS
VANATURAL and **VANZAN** are registered trademarks of Vanderbilt Minerals, LLC.

Arlacel is a registered trademark of Uniqema Americas LLC.

Betavera is a registered trademark of Arch Personal Care Products L.P.

Finsolv is a registered trademark of Innospec Performance Chemicals Company.

Rev04/17/2017