

Beauty Fluid with Collagen No. 587

	Wt. %
A	VANATURAL [®] or VANATURAL MC Bentonite Clay 2.50
	Water 73.00
	Avena Sativa (Oat) Kernel Flour (Tech [®] O #11-070 Oat Flour ¹) 0.50
	VANZAN [®] NF Xanthan Gum 0.50
	Sucrose Stearate (Surfhope [®] SE Cosme C-1811 ²) 1.25
B	Glycerin 6.00
	Soluble Collagen (and) Water (aqua) (Collasol [™] M ³) 5.00
	Allantoin 0.25
C	DEA-Oleth-3 Phosphate (Crodafos [™] O3D ³) 1.00
	Hydrogenated Polyisobutene (Parleam ^{®4}) 4.00
	Mineral Oil (and) Lanolin Alcohol (Vilvanolin [™] L-101 ⁵) 3.00
	Cholesterol and Lanesterol Esters of C10-C30 Fatty Acids (Super Sterol Ester ³) 2.00
	Dimethicone (Xiameter [®] PMX-200 Silicone Fluid 350cs ⁶) 1.00
D	Preservative q.s.
	Triethanolamine q.s.

Procedure: Sift the **VANATURAL**[®] or **VANATURAL MC** into the water agitated at maximum available shear. Once dispersed, slowly sift in the oat flour. Mix until the **VANATURAL** or **VANATURAL MC** is fully hydrated and the oat flour is well dispersed. Add the **VANZAN**[®] **NF** and mix until dissolved. Add the sucrose stearate and mix until uniform. Add Part B ingredients in the order listed and mix until uniform. Combine Part C ingredients and mix until uniform. Add Part C to Part A/B and mix until uniform. Add the preservative and adjust pH to 6.5 ± 0.5 with triethanolamine.

RAW MATERIAL SUPPLIERS
¹Beacon CMP Corporation, Kenilworth, NJ

²Lonza, Inc., Allendale, NJ

³Croda, Inc., Edison, NJ

⁴Roscow Cosmetiques-USA, Laurel, NY

⁵Lubrizol Advanced Materials, Inc., Cleveland, OH

⁶Dow Corning Corporation, Midland, MI

TRADEMARKS
VANATURAL and **VANZAN** are registered trademarks of Vanderbilt Minerals, LLC.

Collasol and Crodafos are trademarks of Croda, Inc.

Parleam is a registered trademark of Roscow.

Surfhope is a registered trademark of Mitsubishi Chemical Corporation.

Tech-O is a registered trademark of Beacon CMP Corporation.

Vilvanolin is a trademark of Lubrizol Advanced Materials, Inc.

Xiameter is a registered trademark of Dow Corning Corporation.

Rev04/17/2017