

Potassium Carbonate Oven Cleaner No. 606

		Wt. %
A	VAN GEL[®] SX Magnesium Aluminum Silicate	2.0
	Water	54.0
B	Triethanolamine	10.0
	Tripropyleneglycol Methyl Ether Solvent (DOWANOL [®] TPM ¹)	5.0
	Potassium Carbonate, 25% solution	28.0
	Sodium Cocoyl Sarcosinate, 30% solution (PERLASTAN [®] C-30 ²)	1.0

Procedure:

Step 1 – Add the **VAN GEL[®] SX** slowly to the water agitated at high speed. Mix until fully hydrated.

Step 2 – Reduce the mixing speed and add the Part B ingredients in order, mixing after each addition until uniform. Avoid air entrapment.

RAW MATERIAL SUPPLIERS

¹Dow Chemical Company, Midland, MI

²Struktol Company of America, Stow, OH

TRADEMARKS

Registered and pending trademarks appearing printed in bold in these materials are those of Vanderbilt Minerals, LLC. For a complete listing, please visit

http://www.vanderbiltminerals.com/ee_content/Documents/Technical/Trademarks_VM_Web.pdf

DOWANOL is a registered trademark of Dow Chemical Company.

PERLASTAN is a registered trademark of Schill & Seilacher GmbH.

Rev02/07/2014