

**Environmental and Blue Light Protection Lotion No. 641**

	<b>Wt. %</b>
<b>VEEGUM® Ultra</b> Magnesium Aluminum Silicate	2.50
<b>VANZAN® NF</b> Xanthan Gum	0.50
Water	79.00
<b>A</b> Avena Sativa (Oat) Kernel Extract (and) Glycerin (and) Phenoxyethanol (Tech-O® #6-090 L <sup>1</sup> )	2.00
Propanediol (Zemea® Propanediol <sup>2</sup> )	5.00
PEG-20 Methyl Glucose Sesquistearate (Glucamate® SSE-20 Emulsifier <sup>3</sup> )	2.00
<b>B</b> Methyl Glucose Sesquistearate (Glucate® SS Emulsifier <sup>3</sup> )	2.00
Caprylic/Capric Triglyceride (Neobee® M-5 <sup>4</sup> )	2.00
Tocopherol (Covi-ox® T-50 C <sup>5</sup> )	0.50
Cetearyl Alcohol (TA-1618, Fatty Alcohol <sup>6</sup> )	2.50
<b>C</b> Preservative	q.s.
Glycerin (and) Marrubium Vulgare Extract (Citystem® <sup>7</sup> )	2.00
Citric Acid, 20%	q.s.

**Procedure:** While heating the water to 60-65°C, slowly add the **VEEGUM® Ultra** and **VANZAN® NF** sequentially or as a dry blend to the water agitated at maximum available shear. Mix until fully hydrated. Then, add the rest of the Part A ingredients and mix well after each. Maintain the water phase at 60-65°C. Combine the Part B ingredients (oil phase) and heat to 60-65°C. Add the oil phase to the water phase with good agitation; mix until uniform. Avoid incorporating air. Cool with mixing to <30°C, then add the preservative. Check the pH of the batch both prior to and after the incorporation of the Citystem. If necessary, adjust the pH to 5.0 (± 0.25) with citric acid, each time.

**RAW MATERIAL SUPPLIERS**

<sup>1</sup>Beacon CMP Corporation, Kenilworth, NJ

<sup>2</sup>DuPont Tate & Lyle Bio Products Company, LLC, Wilmington, DE

<sup>3</sup>Lubrizol Advanced Materials, Inc., Cleveland, OH

<sup>4</sup>Stepan Company, Northfield, IL

<sup>5</sup>BASF Corporation, Florham Park, NJ

<sup>6</sup>Peter Cremer, Cincinnati, OH

<sup>7</sup>Croda, Inc., Edison, NJ

**TRADEMARKS**

**VEEGUM** and **VANZAN** are registered trademarks of Vanderbilt Minerals, LLC.

Citystem is a registered trademark of Sederma SAS France.

Covi-ox is a registered trademark of Cognis Corporation.

Glucamate and Glucate are registered trademarks of Lubrizol Advanced Materials, Inc.

Neobee is a registered trademark of Stepan Company.

Tech-O is a registered trademark of Beacon CMP Corporation.

Zemea is a registered trademark of DuPont Tate & Lyle Bio Products Company, LLC.

Rev09/17/18