

**Skin Cream with Natural Moisturizers No. 664**

		<b>Wt. %</b>
<b>A</b>	<b>VEEGUM<sup>®</sup> HV</b> Magnesium Aluminum Silicate	2.00
	Water	80.50
	Glycerin, USP grade	2.00
<b>B</b>	Glyceryl Stearate (Protachem <sup>™</sup> GMS-450 <sup>1</sup> )	2.00
	Cetearyl Alcohol (Protachem <sup>™</sup> CS-50 <sup>1</sup> )	2.00
	Sodium Stearoyl Lactylate (Pationic <sup>®</sup> SSL <sup>2</sup> )	1.00
	Butyrospermum Parkii (Shea) Butter (SHEBU <sup>®</sup> Refined <sup>2</sup> )	2.00
	Rice Bran Oil <sup>3</sup>	4.00
	Olive Squalane (Oleaclear <sup>™</sup> Olive Squalane <sup>4</sup> )	2.00
<b>C</b>	Caprylic/Capric Triglyceride (Neobee <sup>®</sup> M-5 Cosmetic <sup>5</sup> )	2.00
	Tocopherol (Covi-ox <sup>®</sup> T-50 C <sup>6</sup> )	0.50
	Preservative	q.s.

**Procedure:** Slowly add the **VEEGUM<sup>®</sup> HV** to the water while mixing at maximum available shear. Mix as the water temperature is raised to 80°C, until fully hydrated. Add the glycerin and maintain the Part A temperature at 80°C. Combine Part B ingredients and heat to 80°C with stirring. Add Part B to Part A with adequate mixing. Cool to 35°C while mixing and add Part C. Continue to cool with mixing and pour off at 30°C.

**RAW MATERIAL SUPPLIERS**<sup>1</sup>Protameen Chemicals, Inc., Totowa, NJ<sup>2</sup>Rita Corporation, Crystal Lake, IL<sup>3</sup>Arista Industries, Inc., Wilton, CT<sup>4</sup>Tri-K Industries, Inc., Denville, NJ<sup>5</sup>Stepan Company, Northfield, IL<sup>6</sup>Kensing, LLC, Kankakee, IL**TRADEMARKS****VEEGUM** is a registered trademark of Vanderbilt Minerals, LLC.

Covi-ox is a registered trademark of Kensing, LLC.

Neobee is a registered trademark of Stepan Company.

Oleaclear is a trademark of Tri-K Industries, Inc.

Pationic is a registered trademark of Caravan Ingredients, Inc.

Protachem is a trademark of Protameen Chemicals.

Shebu is a registered trademark of RITA Corporation.

Rev01/13/22