



**Project 035/19- Nothing that was will be! Anti-Imperfection Facial Lotion**

**Suggestion of formulation**

<b>Name</b>	<b>INCI Name</b>	<b>Description</b>	<b>%</b>
<b>Fase A</b>			
1. Deionized Water	Aqua	Balance	Qsp 100
2. keltrol CG RD	Xanthan Gum	Hidrocolóide de origem natural	0,200
3. Veegum R	Magnesium Aluminum Silicate	Suspender and modifier agent for rheology.	1,500
4. Glicent GC K	Glycerin	Humectant	0,500
5. Ajidew ZN-100	Zinc PCA	Active	0,300
<b>Fase B</b>			
1. Amisoft HS 11 F	Sodium Stearoyl Glutamate	Emulsifier	1,000
2. Alkonat 1618 C 30P	Cetearyl Alcohol	Viscosity agent	2,000
3. HallStar Octyl Isononanoate	Ethylhexyl Isononanoate	Emollient	2,000
4. BHT	BHT	Anti oxidant	0,050
5. Sensolene	Ethylhexyl Olivatate	Emollient	1,000
6. Alkonat 1698 P	Cetyl Alcohol	Viscosity agent	1,500
<b>Fase C</b>			
1. Ajidew NL-50	Sodium PCA	Humectant	0,500
2. Galguard Trident	Undecylenoyl Glycine, Capryloyl Glycine, Phenoyethanol	Preservative	0,800
3. Eurol BT	Olive Leaf Extract, Water	Active	0,500
4. Clear Oléoactif	Camelina sativa seed oil, Thymus Vulgaris Flower/Leaf/Stem Extract	Active	1,000
5. Parfum Anti Acne SCE 372585	Parfum	Parfum	0,400

**Processo:**

1. Under constant stirring, add components 2 and 3 over the water and shake for 30 - 35min.
2. Add the remaining components and heat Phase A to 75 - 80 ° C.
3. Mix the components of Phase B and heat to 75 - 80 ° C.
4. Add Phase A in Phase B, maintain heating and stirring for 10-15 minutes.
5. In 40 ° C, add Phase C componentes and mix thoroughly after each addition.

This formulation is based on data that we believe to be correct. We recommend that any suggestions before adoption be tested for stability and effectiveness. Suggested use should not be construed as a violation of any law or patent.