DARVAN® CN



TECHNICAL DATA

DARVAN® CN is a highly efficient anionic dispersing agent for mineral pigments and extenders used in both interior and exterior water-borne paints and coatings. Flat and semi-gloss finishes benefit from the use of **DARVAN CN**.

TYPICAL PROPERTIES

Chemical Classification	Ammonium salt of polymethacrylic acid
Physical State	Pale straw colored liquid
% Active	25%
Specific gravity (25°C)	1.11 g/cc, 9.2 lbs/gal
pH (1% solution)	9.5-11.5
Viscosity (Brookfield 60 rpm)	<250 cps
voc	<1 g/L
Recommended use level	Flat paints: 2-5 lbs/100 gal Semi-gloss paints: 8-12 lbs/gal

CONTACT INFORMATION

For samples, product information and/or technical service please contact Vanderbilt Minerals, LLC or the Vanderbilt representative in your area:

Vanderbilt Minerals, LLC

33 Winfield Street, P.O. Box 5150 Norwalk, CT 06856-5150 P: (800) 562-2476 F: (203) 855-1220 www.vanderbiltminerals.com

DARVAN is a registered trademark of Vanderbilt Minerals, LLC Rev 5/2020

Before using, read, understand and comply with the information and precautions in the Safety Data Sheets, label and other product literature. The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required. Vanderbilt Minerals, LLC does not warrant the test be obtained in using any material, and disclaims all liability with respect to the use, handling or further processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent, trademark or copyright or to violate any federal, state or local law or regulation.

Dispersing Agent for Coatings and Construction